



COLPATAN

ANALOGUE COOKING TIMER "AT"


This electro-mechanical analogue timer is designed according to an innovative concept of full modularity. this product is being chosen by a wide range of manufacturers in the industry of appliance worldwide (free standing cookers, built-in ovens and mini-ovens). Indeed, this product meets the requirements linked to flexibility

The AT timer integrates many advantages such as :

- A compact modular design from the most simple version to the most complex with 4 existing versions and a numerous possible aesthetics variants (custom-designed upon request) :

- AT0 Clock
- AT1 Clock and minute-minder
- AT2 Clock, minute-minder and cooking time
- AT3 Clock, minute-minder , cooking time and start of cooking
- AT4-AT5-AT6 are combinations of basic functions

- many features : pyrolitic self cleaning, minute -minder, automatic start of cooking etc..
- setting of the function with 1 or 2 shafts
- dual bell function at the end of the cycle of the minute -minder (55min) and the cooking time (180 min)
- low noise level with low consumption <2 watts



TECHNICAL FEATURES TIMER "AT"

Resistive switching capacity	16A	Switch position at rest	Normally open
Voltage rating	250VAC	Tabs terminals	6.3mmx0.8 silver plated
switch for appliance	I-II	Number electrical On off	10000
Resistance to heat and fire	Category D	Ambient T°	-5°C to max 125° C
Proof Tarcking Index	PTI250v	Number of switch (+pyrolitic switch)	1 to 2 (+ 1)
Dielectric Strenght	3750VAC	Synchronous motor	230V 50Hz 1.6W
Distance between contact	>3mm	Approval	EN 730-2-1 KEMA
The product satisfies the provisions for CE marking according to the low Voltage Directive 73/23/EEC and 93/68/EEC			

